Bona SuperCourt® ALL STAR



Waterborne athletic wood floor finish.

Bona SuperCourt® ALL STAR is a two-component, premium waterborne finish specifically formulated for use on athletic wood floors. SuperCourt ALL STAR provides a tough, durable, urethane finish that protects the intricate design and beauty of athletic wood floors from scratches and scuffs.

- Vibrant gloss finish
- 8-Hour Pot Life once crosslinked
- Superior chemical resistance
- VOC Compliant including SCAQMD

Bona SuperCourt® ALL STAR

TECHNICAL DATA

Solid Content:	30
Density:	8.704 lbs./gallon (1.043 g/cm³)
US Regulatory VOC:	<275 g/L
Sheen / Sheen at 60º:	>87%
Odor:	Non-offending
Color:	Milky white (wet), Clear and colorless when dry
Pot life:	8 hours
Packaging:	5-gallon plastic pail
Shelf life:	1-year shelf life in unopened container
Storage/Transport:	Nonflammable - Bona SuperCourt ALL STAR should be stored in a climate-controlled environment. KEEP FROM FREEZING. Do not store above 100˚ F (38˚ C).
Application Tools:	18” Bona Swivel Head Floor Coater with a Bona Floor Coater Sleeve.
Coverage:	500-600 square feet per gallon
Leveling:	Excellent
Defoaming:	Excellent
Drying time:	2-3 hours
Curing time:	The curing process takes approximately 5 days. Do not replace area rugs until the floor has fully cured. The floor may be played on after 24-48 hours but remains susceptible to scuffing or marring until completely cured. No wet cleaning during the first week, only dry dust with a Bona SuperCourt Microfiber Dry Dusting Pad. (Do not use dry dust mop treatment chemicals on wooden floors.)
Clean-up:	Application tools should be cleaned with water and stored in an airtight container. Dispose of any remaining product in accordance with local, state, and federal regulations. Decontaminate empty activator (Part B) bottles prior to disposal by adding 2 oz. of water, recap, shake vigorously and dispose.
Disposal:	Consult with local authorities regarding proper disposal or recycling opportunities for leftover product.
Certificates:	Greenguard Gold UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

BEFORE USING, READ ALL DIRECTIONS AND SAFETY DATA SHEETS. FOR TECHNICAL ADVICE: Call Bona US at 800-872-5515

Bona SuperCourt® ALL STAR

RESPONSE

In case of eye contact, flush immediately with water. Get medical attention if irritation occurs. For skin, wash thoroughly with soap and water. If affected by inhalation, remove to fresh air. If swallowed, drink 1 or 2 glasses of water to dilute. Do not induce vomiting. Get medical attention if symptoms.
SAFETY
Ensure adequate ventilation during application and drying.

RECOMMENDED USE

Basketball courts, multi-purpose gym, stage, aerobic, dance and yoga floors, volleyball courts, racquetball, squash, and badminton.

COMPATIBILITY

Bona SuperCourt All Star will adhere to most stains, paints, sealers and finishes after proper preparation and dry times. Do not apply Bona SuperCourt All Star to raw wood, or wood flooring in which the surface temperature is below 50°F (10° C). Stain, sealer, paint and finish results may vary widely depending on the wood species, especially on oily and resinous types. ALWAYS PREPARE A SAMPLE OR TEST AREA TO DETERMINE COMPATIBILITY, APPEARANCE AND DESIRED RESULTS.

PREPARATION

SANDING AND PREPARATION OF NEW FLOORS

1. Sand and prepare floor using MFMA accepted methods. 2. Make your final cut with 100 to 120-grit paper. Screen with 100-grit or 120-grit screen or use a Bona Multidisc and 80-grit or 120-grit Bona Diamond Abrasive. 3. Vacuum thoroughly. 4. Dry tack thoroughly. 5. Apply sealer and finish system (see finish directions).

MIXING INSTRUCTIONS

Always mix using a paddle mixer, do not shake or stir by hand.1. Using a paddle mixer and drill, mix SuperCourt All Star(Part A) for 1 minute. 2.Open the crosslinker bottle and add an equal part of water to the crosslinker. Shake well. 3. While continuing to mix Part A, slowly add the entire contents mix Bona Crosslinker in one 5-gallon pail of finish. 3. Continue to paddle mix for 1 minute. Let sit for 5-10 minutes before applying.

RECOATING

Be sure floor is free from wax, polish, and oily residues. Always test for compatibility. Follow the Bona Prep® system with Bona Diamond Abrasives and apply 1–2 coats of Bona SuperCourt All Star.

Bona SuperCourt® ALL STAR

MAINTENANCE

Place walk-off mats at all entrance doorways to keep out excessive dirt and grit. For best results, see Bona SuperCourt Athletic Floor Care System products for optimal wood floor care.

24 Invermess Place East
Suite 100
Englewood, CO 80112