



BONA **RESILIENT SOLUTION**

Product Catalogue 2024



Bona[®]

RETHINK, RENEW, UPGRADE

Bona Resilient Solution: Renewing Worn Floors

Struggling with old, worn, and cracked linoleum, PVC, vinyl, rubber or LVT floors? Bona Resilient Solution is an innovative and highly effective system that renews and extends the life of resilient floors. This high-quality, sustainable programme allows you to not just maintain a floor's freshness, but also to totally transform its look, without replacing it. Even in heavy-traffic areas, floors can be sealed for extra durability and long-term protection.



COST SAVINGS



REDUCED DOWNTIME



UNSURPASSED DURABILITY



SUSTAINABLE



IMPROVED HYGIENE



DESIGN CUSTOMISATION

BONA RESILIENT SOLUTION




An innovative and highly effective solution that transforms and extends the life of resilient floors. This high-quality, sustainable programme allows you to not just maintain a floor's freshness, but also to totally transform its look, without replacing it. Even in heavy traffic areas, surfaces are sealed for

extra durability and long-term protection. All achieved in 50% less downtime than replacing a resilient floor. And now floor owners can rest assured knowing that the Bona Resilient Solution provides a solid warranty that guarantees it against utmost wear and tear.



TIME AND MONEY SAVINGS

Replacing a floor involves ripping up the old floor, sanding and leveling the subfloor, plus installation of a new floor, which all together is very time consuming. The Bona Resilient Solution can be performed in as little as a few hours which means no need to close the commercial space resulting in convenience and better profitability.




IMPROVED HYGIENE FOR HEALTHIER SURFACES

Bona's unique process along with our coatings creates a monolithic surface that seals against microorganisms thus resulting in a floor with the highest level of hygiene standards as mandated by The Technical Rules of Biological Agents (TRBA).


UNSURPASSED DURABILITY

Heavy traffic is a given in commercial settings and the Bona Resilient Solution does not disappoint. Compared to the industry average, Bona Pure and Bona Pure HD stand out in terms of both wear and chemical resistance.

CHEMICAL RESISTANCE (DISINFECTANTS)




WEAR RESISTANCE



SUSTAINABILITY FOR A BETTER WORLD

In a study conducted by the IVL Swedish Environmental Research Institute, they found that renewing with the Bona Resilient Solution rather than replacing a resilient floor results in 90% savings in both energy and reduced carbon footprint.



ENDLESS DESIGN POSSIBILITIES

The Bona Resilient Solution offers numerous design options from changing the colour and design of a floor, to adding decals, graphics and logos. The possibilities are endless.



CONTENTS

COATINGS

Commercial	6
Sports	8
ESD	9

SANDING

Machines	10
Abrasives	14

FLOOR CARE

Cleaning	16
Commercial Maintenance	17
Sports Maintenance	18

ACCESSORIES

Tools & Accessories	18
---------------------	----



COATINGS | RESILIENT

Resilient System

Type

Article Number

Packaging

Pcs/transport
packagePackage/
pallet

Bona Pure HD



Hard-elastic and hardwearing PUR-coating for renewal of resilient flooring coverings on base of PVC, rubber or linoleum. Particularly suitable for thin, hard-elastic mats in locations exposed to high wear. Excellent resistance to scratches and scuffs. Reduces porosity thus helping to simplify routine maintenance and keeping good floor hygiene.

Key Benefits:

- Extreme wear resistance
- Allows full traffic after 12h
- Long-lasting protection

Technical Data:

Category: Waterborne 2-comp

Drying time: 2-3 h between coats

Application tools: Bona Roller (11 mm)

Coverage: 8-10 m²/L and application

Matt	ES207920001	5 L	3	36
Hardener	ES205045011	0.45 L	3	

Bona Pure



Bona Pure is a hard-elastic finish that serves as a long-term surface protection for heavy-traffic industrial and commercial areas, restoring its appearance while simplifying routine maintenance. It consists of a waterborne, clear and non-yellowing formula.

Key Benefits:

- Superb resistance to disinfectants
- Safe and easy application
- Brilliant levelling properties

Technical Data:

Category: Waterborne 2-comp

Drying time: 2-4 h between coats

Application tools: Bona Roller (11 mm)

Coverage: 8-10 m²/L and application

Extra Matt	ES200620001	5 L	3	36
Matt	ES201620003	5 L	3	36
Hardener	ES205045001	0.45 L	3	

Bona LinoPrime



Quick drying PUR-based primer for pore filling of deep cleaned and sanded linoleum floors. Improves levelling and smoothness of the following coat, which typically can be applied already after 1 hour.

Key Benefits:

- Fills pores and reduces absorbency
- Ultra-quick drying
- Essential for linoleum

Technical Data:

Category: Waterborne 2-comp

Drying time: 1-2 h between coats

Application tools: Bona Roller (5 or 11 mm)

Coverage: 20-25 m²/L and application

	EB400620001	5 L	3	36
Hardener	EH390002001	0.2 L	3	

PU Filler



Two-part polyurethane filler and adhesive. Developed for quick and durable repair of resilient floorings such as PVC/LVT, Rubber and Linoleum, with great adhesion to many materials. Can also be used to glue down smaller pieces of flooring. Resistant to high impact, elevated temperature, moisture, and many solvents and chemicals.

Key Benefits:

- Super-quick hardening
- Excellent adhesion properties
- High durability

Technical Data:

Colour: Light Grey

Open time: 3,5 min

Drying time: 30 min (20°C/60% R.H.)

	ES600003250	250 ml	12	
Mixing Tip	ES500000110	10	10	



Resilient System

Type

Article Number

Packaging

Pcs/transport package

Package/pallet

Bona Pure Colour



Bona Pure Colour ensures a quick application process with accelerated drying properties and being heavily pigmented for coverage in a single coat. Bona Pure Colour is available in ten popular standard colours but can also be ordered in the full spectrum of the RAL and NCS colour palette.

Key Benefits:

- Heavily pigmented for excellent hide
- Ultra-quick drying for minimal downtime
- Available in ten popular standard colours

Technical Data:

Category: Waterborne 2-comp
Drying time: 2-4 h between coats
Application tools: Bona Roller (5 or 11 mm pile)
Coverage: 8-12 m²/L and application

	Custom	EC800020001	5 L	1	
BEIGE	RAL 1001	EC813720001	5 L	1	
LIGHT IVORY	RAL 1015	EC814720001	5 L	1	
BRILLIANT BLUE	RAL 5007	EC803620001	5 L	1	
LIGHT BLUE	RAL 5012	EC805620001	5 L	1	
PIGEON BLUE	RAL 5014	EC801620001	5 L	1	
PASTEL TURQUOISE	RAL 6034	EC804620001	5 L	1	
BASALT GREY	RAL 7012	EC802620001	5 L	1	
AGATE GREY	RAL 7038	EC811720001	5 L	1	
TELEGREY	RAL 7047	EC812720001	5 L	1	
JET BLACK	RAL 9005	EC806620001	5L	1	

Bona R Creative Chips



Acrylate-based plastic chips for a livelier impression. Used in combination with Bona Pure Colour.

	Salt & Pepper	ES200013501	1 kg	1	
	Black & White	ES200013502	1 kg	1	
	Terra-mix	ES200013503	1 kg	1	



SuperSport System

Type

Article Number

Packaging

Pcs/transport
packagePackage/
pallet

Bona SuperSport Pure HD

Bona SuperSport Pure HD is a hard-elastic and hardwearing PUR coating for the treatment of resilient floor coverings in sports halls.



Key Benefits:

- Tough PUR protection for resilient sports floors
- Rapid drying for minimal downtime. Back on the floor in 12 hours
- Optimal application and levelling properties
- Compliant to EN 14904:2006 (Indoor Sports Surfaces)

Technical Data:

Category: Waterborne 2-comp

Drying time: 2–4 h between coats

Application: Bona Polyester Roller

Coverage: 8–10 m²/L and application

Matt	ES201620005	5 L	3	36
Hardener	ES205045001	0,45 L	3	

Bona SuperSport Line Paint

Specialist paint for line-marking indoor sports surfaces. Waterborne and conveniently ready for use, straight from the can. With its excellent adhesion properties, it can be applied on a wide range of sports surfaces, including wood and resilient floorings.



Key Benefits:

- Superb opacity/hiding ability
- Excellent flow and levelling
- Time saving
- Waterborne and low odour

Technical Data:

Base: Polyurethane

Category: Waterborne 1-comp

Drying time: 1–2 hours between coats

Application: Fine brush or short-haired roller

Coverage: 6–10 m²/lit (per coat) or 120–200 m of line-marking

Yellow	EC801113101	1 L	1	
Red	EC801413101	1 L	1	
Orange	EC801213101	1 L	1	
Light Blue	EC801813101	1 L	1	
Dark Blue	EC801713101	1 L	1	
Violet	EC801313101	1 L	1	
Light Green	EC801613101	1 L	1	
Dark Green	EC801513101	1 L	1	
Black	EC801913101	1 L	1	
White	EC802013101	1 L	1	

Bona SuperSport HD Hardener

In situations where the Bona SuperSport Line Paint is used without a protective finish, the paint can be boosted with Bona SuperSport HD Hardener for enhanced resilience against chemical and mechanical stress.



Hardener	WH370045001	400 ml	3	
----------	-------------	--------	---	--



Resilient ESD System

Type

Article Number

Packaging

Pcs/transport
packagePackage/
pallet

Bona Pure ESD Clear



Bona Pure ESD Clear is a durable, highly transparent topcoat able to dissipate static electricity and transport it to ground. It is used as a standalone product for renovation of existing conductive floors.

Key Benefits:

- Durable PUR protection for resilient floors
- Fast curing in only 12 hours for minimal downtime.
- Restores the conductivity of ESD floors
- Meets EN 61340-5-1:2001 standard

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-3 h between coats
Application tools: Bona Roller (11 mm)
Coverage: 15-20 m²/L and application

Matt	ES251620001	5 L	3	36
Hardener	ES205045001	0.45 L	3	

Bona Pure ESD Vibrant



Used in conjunction with Bona Pure Colour ESD base paint, Bona Pure Vibrant is a durable topcoat able to dissipate static electricity and transport it to ground. It has a high resistance to chemicals and common disinfectants.

Key Benefits:

- Durable PUR protection for resilient floors
- Fast curing in only 12 hours for minimal downtime.
- Restores the conductivity of ESD floors
- Meets EN 61340-5-1:2001 standard

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-3 h between coats
Application tools: Bona Roller (11 mm)
Coverage: 15-20 m²/L and application

Matt	ES250620001	5 L	3	36
Hardener	ES205045011	0,45 L	3	

Bona Pure Colour ESD



Bona Pure Colour ESD is a waterborne base paint available in three versatile colours. It is heavily pigmented for exceptional coverage and is quick drying for minimal downtime. When used for renovating floors it improves the conductive properties and restores a high level of electrostatic safety.

Key Benefits:

- Heavily pigmented for exceptional coverage
- Quick-drying for minimal downtime
- Restores the conductivity of ESD floors
- Meets EN 61340-5-1:2001 standard

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-3 h between coats
Application tools: Bona Polyester Roller
Coverage: 10-12 m²/L and application

PIGEON BLUE	RAL 5014	EC805620001	5 L	1	
PASTEL TURQUOISE	RAL 6034	EC801620001	5 L	1	
AGATE GREY	RAL 7038	EC804620001	5 L	1	



SANDING | MACHINES

FlexiSand System

Type

Article Number

Volts/Hertz

Pcs/transport
package

Effect

Bona FlexiSand



A powerful and flexible machine that can be equipped with different drive plates for a wide variety of floor preparation jobs. Its robust construction ensures stable operation, even under heavy load. Bona FlexiSand is compatible with the Bona Power Drive, a unique drive plate that allows powerful, direction-free sanding. Available with a 1.5 and 1.9 kW motor.

Key Benefits:

- Powerful single-speed motor
- Foldable handle reduces space during transportation
- Large wheels for easy transportation
- Bona Power Drive ready

Technical Data:

Abrasive disc speed: 147 rpm

Motor Power: 1.5/1.9 kW

Total weight: 45 kg

Height/Width/Depth: 1170 mm / 490 mm / 640mm

Ø 407 mm

AMO310002

230 V / 50 Hz

1

1.9 kW

Extra Weights



Mount on Bona FlexiSand for extra pressure.

2 X 7 kg

ASK319994008

1

Bona Power Drive



(Internal Spur Gear not included. See below.)

The innovative Bona Power Drive sets a new standard in sanding. Using a direction-free sanding technique, the drive combines excellent performance with easy operation. Four rotating discs sand closely to the walls reducing the need for edge sanding. The geared plate and revolving discs also deliver increased power for excellent performance in floor sanding.

Key Benefits:

- For powerful rotary sanding
- Reduces the need for edge sanding. Only leaves a 3 cm strip against the wall.
- Delivers a fantastically fine and smooth sanding result

Technical Data:

Compatible with: Bona FlexiSand 1.5 / 1.9

No. of discs: 4

Disc diam.: 150 mm

Weight: 6.7 kg

Dimensions: 410 mm / 410 mm / 93 mm

Ø 407 mm

ASK3199940997

4 x Ø 150 mm

1

Internal Spur Gear



Gear ring for the Bona FlexiSand. Necessary if your FlexiSand is not already equipped with this.

ASK4099941643

1

1



SANDING | MACHINES

FlexiSand System

Type

Article Number

Packaging

Pcs/transport
packagePackage/
Pallet

Bona Quattro Disc



Four-plate disc for an excellent surface finish. Perfect for reducing and smoothing out drum marks and rotational scratches from edger machines. The Bona Quattro Disc will optimise your sanding results and is perfectly balanced for high efficiency combined with smooth end results.

Ø 407 mm

ASO312530

4 x Ø 150 mm

1

Replacement Pad Set



Replacement for broken or used pads for the Quattro Disc.

Ø 150 mm

ASO319934

4

LED Lamp



Two powerful LED lamps for better visibility when working with the Bona FlexiSand.

ASO319000

1

Bona PowerDrive Connect



Using a unique direction-free sanding and brushing technique, Bona PowerDrive Connect combines excellent performance with easy operation. Mounted on the Bona FlexiSand, it can remove thick layers of lacquer, replacing the need for conventional belt sanding. Its click-on mount enables you to switch between disc and brush within a minute. The drive plate is easy to manoeuvre in small, confined spaces.

Key Benefits:

- Flexible—one drive plate for both sanding and brushing jobs.
- Reduces need for edge sanding. Only leaves a 3 cm strip against the wall.
- Delivers a fantastically fine and smooth sanding result

Technical Data:

Compatible with: Bona FlexiSand 1.9**No. of discs:** 4**Disc diam.:** 150 mm

Ø 407 mm

ASK3199940996

4 x Ø 150 mm

1

Sanding Disc



Intermediate disc for mounting velcro abrasive discs.

Ø 150 mm

ASK3199941010

1

4



SANDING | MACHINES

FlexiSand System	Type	Article Number	Packaging	Pcs/transport package	Package/pallet
------------------	------	----------------	-----------	-----------------------	----------------

Bona Resilient Brush

Nylon brushes to be mounted onto PowerDrive Connect, using click-on technology. Use for cleaning and sanding of different types of resilient flooring.



Ø 150 mm	ASK3199941040	1	4	
----------	---------------	---	---	--

Bona Diamond Blades

Bona Diamond Blades are the ideal choice for speeding up stripping of resilient floors.



Ø 150 mm	ASK4099941643	1	4	
----------	---------------	---	---	--

Bona Diamond Blades Spare blades

Spare blades for the Bona PowerDrive Connect Diamond Blades.

	ASK4000030634	1	6	
--	---------------	---	---	--

Bona Pad Drive

The Bona Pad Drive is delivered with the FlexiSand. A multipurpose tool that can be used to drive different pads and abrasive materials for a large number of applications including oiling, cleaning, buffing and superficial sanding.



Ø 407 mm	ASO312501		1	
----------	-----------	--	---	--

SupraFlex

Type	Article Number	Volts/Hertz	Pcs/transport package	Effect
------	----------------	-------------	-----------------------	--------

Bona SupraFlex

Powerful, all-in-one edger for sanding and wire-brushing of edges. Bona SupraFlex is the perfect sanding companion to the Bona PowerDrive Connect, helping you with those hard-to-reach areas. It supports all functions of the Bona PowerDrive Connect and can fit both sanding discs as well as brushes. M14 tool fixture – easy to change between sanding disc to brushes.



Key Benefits:

- Powerful 1400 W motor
- Stepless speed selection (600-2100 rpm)
- Low height - Easy to reach under staircases, toe kicks and radiators
- Dust cover allows connection to Bona DCS for dust free sanding
- Noise reduction through innovative planetary and angular gears

Technical Data:

Power: 1400 W 230 V – 50/60 Hz
Speed: 600-1200 rpm (stepless)
Tool fixture: M14
Disc diameter: 150 mm
Weight: 2,6 kg

Ø 150 mm	AMF100000	230 V / 50 Hz	1	1.4 kW
----------	-----------	---------------	---	--------



Dust-free Sanding

Article Number

Packaging

Pcs/transport
package

Package/
pallet

Bona DCS 50



Powerful & compact vacuum unit intended for both dry and wet cleaning. As part of the Bona Dust-free sanding solution, Bona DCS 50 collects the fine and hazardous wood dust from all Bona sanding machines.

Key Benefits:

- Dust-free sanding
- For both dry and wet cleaning
- Dust class M
- Power outlet with auto-start function
- Light and handy

Technical Data:

Weight: 19 kg
Dimensions: 640 × 370 × 1045 mm
Dust holding capacity: 50 L
Motor power: 230 V, 50–60 Hz, 1,38 kW
Hose length: 5 m

AM11484430

1

1

Fleece Filter Bag



Fleece Filter bag for DCS 50.

AS3628893540

1

10

Flat pleated filter



Universal flat pleated filter for Bona DCS 50 for both wet and dry vacuuming. Certified for dust classes M and L, with a dust containment efficiency of 99.9 %. The filter is made of PES fiber material and is rot-proof and insensitive to moisture, making it ideal for vacuuming liquids, fine dust and coarse dirt.

AS3628893550

1

10



SANDING | ABRASIVES

Abrasives

Dimension

Grit

Article Number

Packaging

Pcs/transport package

Bona Diamond Abrasive Disc



Made using the hardest sanding agents in the world, Bona Diamond Abrasives are unique, delivering unparalleled sanding efficiency, durability and surface smoothness. Because the diamond grits are hard but not sharp, the result after fine sanding is a smooth, virtually scratch-free surface. Bona Diamond Abrasives last up to 15 times longer than competing screen or multihole sanding discs and deliver consistent performance, even after 100 m² of sanding. And thanks to its unmatched hardness, each disc maintains its sanding performance throughout its lifetime.

Key Benefits:

- Longer lasting
- Perfect evenness
- Better surface
- Safe recoating

Ø 150 mm	Grit 80	AAS472000808	1	8
Ø 150 mm	Grit 120	AAS472001208	1	8
Ø 125 mm	Grit 240	AAS471902408	1	12
Ø 150 mm	Grit 240	AAS472002408	1	8

Bona Net Ceramic



The Bona Net Ceramic is mainly intended to be used for orbital or rotary sanders, such as Bona SupraFlex, Bona Orbital or similar. It can also be used attached to Bona Power Drive for medium sanding or removal of joint filler.

Key Benefits:

- Minimal clogging
- Good dust extraction
- Very high removal rate
- Independent on machine hole system

Technical Data:

Grit type: Ceramic Aluminium Oxide

Grit range: 80

Size: 150 mm


Backing: Knitted fabric

Coating: Electrostatic

Bonding: Resin over resin

Ø 150 mm	Grit 80	AAS473200806	1	50
Ø 150 mm	Grit 100	AAS473201006	1	50
Ø 150 mm	Grit 120	AAS473201206	1	50

Bona 8700 Ceramic Disc



Ø 100 mm	Grit 36	AAS472800365	1	25
Ø 100 mm	Grit 50	AAS472800505	1	25
Ø 125 mm	Grit 36	AAS471600365	1	25
Ø 125 mm	Grit 50	AAS471600505	1	25
Ø 150 mm	Grit 36	AAS471700365	1	25
Ø 150 mm	Grit 50	AAS471700505	1	25
Ø 178 mm	Grit 36	AAS471800365	1	25
Ø 178 mm	Grit 50	AAS471800505	1	25



SANDING | ABRASIVES

Pads

Dimension

Grit

Article Number

Packaging

Pcs/transport package

Bona Intermediate Pad



A pressure-equalising foam pad that has the ability to follow the contours of the surface.

Ø 125 mm		AAS472102408	1	3
Ø 150 mm		AAS472200008	1	4

Bona Superpad 407 mm



Thick pad for Bona FlexiSand and Bona Buffer.

White	AAS867300058	Ø 407 mm x 25 mm	5
Tan	AAS867300038	Ø 407 mm x 25 mm	5
Red	AAS867300048	Ø 407 mm x 25 mm	5
Green	AAS867300028	Ø 407 mm x 25 mm	5
Brown	AAS867300068	Ø 407 mm x 25 mm	5
Black	AAS867300018	Ø 407 mm x 25 mm	5

Bona Scrad Pad



Abrasive pad for Bona FlexiSand and Bona Buffer. Used together with a Bona Scrad Wing it forms a unique abrasive system developed for cutting back grain raise between coats of finish. Minimises scratches.

Ø 407 mm x 8 mm	Grit 320	AAS854303208	5
Ø 330 mm x 8 mm	Grit 320	AA970740	5

Bona Fiber Pad



Premium Sanding Pad developed for aggressive cleaning and polish removal.

AA32153016	Ø 407 mm	1
------------	----------	---

Bona Fiber Pad Velcro Backing



Fiber pad with velcro backing for aggressive cleaning and polish removal.

AA32153180	Ø 180 mm	1
AA32153150	Ø 150 mm	1



FLOOR CARE

Floor Care

Type

Article Number

Packaging

Pcs/transport package

Package/pallet

Bona PowerScrubber 2.0



The Bona PowerScrubber is a versatile and powerful scrubbing machine for cleaning of most indoor floor surfaces. Bona PowerScrubber 2.0 enables the most effective deep-down cleaning, combined with unrivaled versatility and ease. Counter-rotating roller brushes provide deep, effective cleaning while the powerful, yet compact design of Bona PowerScrubber 2.0 delivers even more performance than most auto scrubbers, as well as the benefits of ergonomic operation, set-up and transportation.

Key Benefits:

- Effective deep clean
- Wide range of surfaces
- Ergonomic design and operation
- Easy to fill, assemble and transport

Technical Data:

Motor rating: Max 2700 W, Avg. 1900 W

Power supply: 230 V / 50 Hz

Machine weight: 34.5 kg

Scrubbing brush: 2 x 400 mm soft white nylon

Solution capacity: 10 L

Recovery tank capacity: 10 L

Dimensions: 520 mm x 470 mm x 300 mm

AM400201100

1

1

Power Scrubber Roller Brushes



White – For stone floors.
Red – For resilient floors.
Green – For stone floors (not high gloss).
Black – For cleaning concrete

White	AS3647622500	400 mm	1	
Red	AS3647624580	400 mm	1	
Green	AS3647622520	400 mm	1	
Black	AS3647624810	400 mm	1	

Commercial System Kit



Lightweight yet sturdy telescopic pole made of brushed aluminium for superior durability. The 60 cm wide mop base is specially designed with a raised edge that helps trap dirt and increases scrubbing pressure. Delivered with 1 Dusting Pad and 1 Cleaning Pad.

60 cm

WM710013489

1

10

Dusting Pad



Pad, designed to be used dry. Consisting of a special mix of short and long fibres with an electrostatic charge to trap and remove loose dust, dirt and debris, quickly and safely from floors.

60 cm

AX0003543

1

12

Cleaning Pad



Pad, designed to be used wet. Consisting of highly absorbent microfibre with a lot of scrubbing action for removing bonded dirt.

60 cm

AX0003544

1

12



Resilient — Maintenance

Article Number

Packaging

Pcs/transport package

Package/pallet

Bona PowerRemove R



Aggressive cleaning agent developed for stripping polish, dirt and old cleaning residue from resilient floor coverings such as PVC, Linoleum, LVT, or Rubber. Quick and effective even at low dosing.

Key Benefits:

- For quick removal of old maintenance coatings and contaminants
- Very high degree of efficiency
- Effective at low dosing

Technical Data:

pH-value: pH approx. 10.5 (conc.)

Dilution: 1:19 – 1:4

EM703020001

5 L

3

44

Bona Clean R50



Bona Clean R50 is particularly suited for the routine cleaning of resilient flooring treated with products from the Bona Resilient System. It may be used for daily cleaning, as well as to remove severe soiling. Bona Clean R50 is also suitable for use in automatic cleaning systems.

Key Benefits:

- Gentle, yet effective, even at low dosage
- Highly concentrated
- Low foaming

Technical Data:

pH-value: approx. 9 (conc.)

Dilution (cleaning):

Normal: 50 ml to 10 litres water (1:200)

Intensive: 250 ml to 10 litres water (1:40)

EM701020001

5 L

3

44

Bona Clean R60



Bona Clean R60 is a mild, water-soluble cleaner for the routine cleaning of resilient floors. It has dual-action properties, both cleaning and leaving a thin, protective film in one go. Bona Clean R60 can give a subtle increase in gloss, and is compatible with the Bona Pure coating system.

Key Benefits:

- Cleaning and Maintenance in ONE
- Leaves a resolvable protective film
- Low foaming

Technical Data:

pH-value: approx. 9.5 (conc.)

Dilution: 50 ml to 10 litres water (1:200)

EP550020001

5 L

3

44

Bona Shield R



Bona Shield R is a polyurethane reinforced maintenance coating developed specifically for surfaces treated with a Bona Pure coating. However, it can also be used on other resilient surfaces, such as linoleum and PVC.

Key Benefits:

- High durability
- Quick drying
- Comfortable friction

Technical Data:

Dilution: Do not dilute

Drying time: 1-2 hours at 20°C/ 60% R.H.

Matt

EP501320001

5 L

3

44

Gloss

EP597020001

5 L

3

44



FLOOR CARE

Sports — Maintenance

Bona SuperSport Cleaner



Concentrated slightly alkaline detergent specifically designed for frequent cleaning of indoor sports surfaces. Bona SuperSport Cleaner is gentle on the surface yet will effectively remove grease and grime, leaving no slippery or greasy film. Low foaming formula, suitable for auto scrubber as well as manual application.

Key Benefits:

- Safe on wood
- Low foaming
- Leaves no slippery residue

Technical Data:

Dilution: 1:100 for general use

	WM763020001	5 L	3	44
--	-------------	-----	---	----

Bona SuperSport Deep Clean



Designed for occasional cleaning of indoor sports floors to remove black heel marks, handball glue as well as build-up of body fats and other contaminants that may make the surface slippery.

Key Benefits:

- Degreases floor and restores friction
- Removes scuff marks
- Removes certain types of handball glue

Technical Data:

Dilution: 1:5

ML1	WM636020001	5 L	3	44
-----	-------------	-----	---	----

Tools & Accessories

Bona SuperCoat Roller



Quality roller with a polyester pile for correct application rate of lacquer. 11 mm pile.

10 cm	AT31002310	1	10	
25 cm	AT31002325	1	1	
38 cm	AT31002338	1	1	

Roller Handle – 10 cm



Handle for 10 cm rollers.

10 cm	AT31004000	1		
-------	------------	---	--	--



TOOLS & ACCESSORIES

Tools & Accessories

Type

Article Number

Packaging

Pcs/transport
packagePackage/
pallet

Roller Handle – 25 cm

Corrosion resistant handle for 25 cm rollers.



25 cm

AT31014001

1

Roller Handle 30-50 cm

Adjustable aluminium handle for 30-50 cm wide rollers.



30-50 cm

AT31002800

1

5

Bona Extension Bar, quick release

Professional extension bar in aluminium with quick-release locking function.



110-200 cm

AT31401002

1

Bucket with Castors

For easy application of resilient coatings.



22 L

AT31008032

1

Resilient shoe cover

Blue and white resilient shoe covers.



AT33054000

1

100

Master Ventilator DF-20P

Fan that is suitable for accelerating the drying time to enable faster work.



AS0902010

230 V



Established in 1919, Bona is a world leading innovator with a unique system for resilient floor treatment. Through subsidiaries and distributors we have local presence in more than 90 different countries enabling us to be close to our customers and craftsmen.

Our long commitment and passion for floors enable us to offer lasting, sustainable results that meet floor needs for professionals and floor owners alike.

