



# Bona Vertical

Silane-based construction adhesive with high initial grab and strong bond strength for a wide range of materials and building elements.



## ENVIRONMENTAL LABELLING



EMICODE EC 1PLUS  
very low emissions  
Number: 14288/22.05.97  
valid until: 17 Dec 2026



French VOC  
A+ classification

Where applicable, third-party certificates are available to download from the Bona Vertical product page on Bona.com. French VOC emission class A+ is assigned under the manufacturer's responsibility in accordance with Décret n°2011-321 and the Arrêté of 19 April 2011.

## EPD – ENVIRONMENTAL PRODUCT DECLARATION

European Model EPD  
In accordance with ISO 14025:2006 and EN 15804:2012+A2:2019/AC:2021  
Number: EPD-FEI-20220021-IBG2-EN  
valid until: 31 May 2027



## PRODUCT INFORMATION

Product Carbon Footprint: 4.79 kg CO<sub>2</sub> e/kg.

GLOBAL WARNING POTENTIAL A1-A3 CALCULATED FROM CRADLE TO GATE; CO<sub>2</sub> INFORMATION COMES FROM THE RESPECTIVE PRODUCT EPD

GISCODE: RS10

FLOORING INSTALLATION MATERIALS CONTAINING METHOXYSILANE, NON -LABELLED

2 Jun 2026

This data sheet replaces all previous versions please check bona.com to ensure that you have the latest version.

This sustainability summary provides product-specific information relevant to building certification schemes. Certification is awarded to the building, not the product.



# Bona Vertical

**Silane-based construction adhesive with high initial grab and strong bond strength for a wide range of materials and building elements.**



## SUSTAINABLE BUILDING CERTIFICATIONS



LEED (v4/v4.1) - EQ Low emitting materials/products

Category: Adhesives and sealants.

Supports low-emission material selection; project-specific compliance assessment required

Evidence: EMICODE EC 1<sup>PLUS</sup> certified (very low emissions)



BREEAM: Hea 02 Indoor air quality.

Product group: Adhesives and sealants.

Supports compliance with VOC emission requirements (subject to assessor acceptance).

Evidence: EMICODE EC 1<sup>PLUS</sup> certified (very low emissions)



QNG Quality Seal for Sustainable Buildings

Product Group: Installation materials for floor bonding components.

Supports compliance with QNG Requirement 3 (ANF3-1 – Schadstoffvermeidung)

Evidence: EMICODE EC 1<sup>PLUS</sup> certified (very low emissions)



German Sustainable Building Council (DGNB)

Relevant Criterion: ENV 1.2 Risks to the Local Environment / SOC 1.2 Indoor Air Quality.

Product Group: Installation material (adhesive for bonding interior components).

Supports compliance with DGNB requirements for low-emission products.

Evidence: EMICODE EC 1<sup>PLUS</sup> certified (very low emissions).



BNB Sustainable Building Assessment System (BNB)

Relevant Criterion: ENV 1.2 Risks to the Local Environment / SOC 1.2 Indoor Air Quality.

Product Group: Installation material (adhesive for bonding interior components).

Supports compliance with BNB requirements for low-emission products.

Evidence: EMICODE EC 1<sup>PLUS</sup> certified (very low emissions).

2 Jun 2026

This data sheet replaces all previous versions please check [bona.com](http://bona.com) to ensure that you have the latest version.

This sustainability summary provides product-specific information relevant to building certification schemes. Certification is awarded to the building, not the product.



# Bona Vertical

Silane-based construction adhesive with high initial grab and strong bond strength for a wide range of materials and building elements.



Swedish Byggvarubedömningen  
Product code: 196341

2 Jun 2026

This data sheet replaces all previous versions please check [bona.com](https://bona.com) to ensure that you have the latest version.

This sustainability summary provides product-specific information relevant to building certification schemes. Certification is awarded to the building, not the product.