



Bona Oiled Wood Floor Refresher

WOOD FLOOR MAINTENANCE

Periodic maintenance for oiled wood floors



Ready to use, fast drying and environmentally sound, Bona Oiled Wood Floor Refresher restores the luster of oiled floors in no time.

Bona Oiled Wood Floor Refresher makes the maintenance of oiled wood floors easy. Simply pour onto surface, distribute, and let dry. The product requires no machine buffing and the floor is ready for light foot traffic in as little as 1-2 hours after application.

- Restores dry, oiled wood floors
- Retains the matt appearance of oiled wood
- Dries fast
- Contains linseed oil



Bona Oiled Wood Floor Refresher

WOOD FLOOR MAINTENANCE

Periodic maintenance for oiled wood floors

TECHNICAL DATA

Product type / base:	Polyurethane dispersion with resins of natural oil (linseed oil)
Sheen:	Matt
Dilution:	Do not dilute, product is ready-to-use
Drying time:	- Touch dry: 20-40 minutes* - Light foot traffic: 1-2 hours* - Between coats: approx. 2 hours* *under normal climate conditions, 20°C/60% R.H. Ensure air flow during drying
Application tools:	Bona Cleaning Pad
Application rate:	Approx. 40 - 60 m ² /litre
Cleaning:	Wipe tools free from residual material before cleaning with a minimum of water, dried material can be removed with acetone, dispose of all waste at an approved waste disposal facility - do not pour down drains or sewers.
Shelf life:	2 years, from date of production, in unopened original container
Storage/Transport:	The temperature must not fall below +5°C or exceed +30°C during storage and transport.
Disposal:	Containers with a minimal amount of dried material may be recycled. All waste must be disposed of at an approved waste disposal facility - do not pour down drains or sewers. Follow all local waste regulations.
Pack size:	10 x 1 liter (50 boxes per pallet)

Additional detailed information is noted in the appropriate Safety Data Sheet.

PREPARATION

Remove loose dirt and grit from your floor. Clean floor thoroughly with Bona Wood Floor Cleaner and let dry. Do not use over any floor that has been treated with wax or hardwax oil. Wax residues may reject Bona Oiled Wood Floor Refresher from the surface. If unsure, make a small test before use.

Shake bottle thoroughly before use and apply at normal room temperature, 18-25°C. Avoid strong draughts and direct sunlight on the floor.



Bona Oiled Wood Floor Refresher

WOOD FLOOR MAINTENANCE

Periodic maintenance for oiled wood floors

DIRECTIONS FOR USE

1. Pour the refresher onto a small section of the floor and distribute the product thinly with a Bona Cleaning Pad. Follow the direction of the wood where possible.
2. Continue section by section until the whole floor has been treated.
3. Very dry surfaces may require a second coat. Allow approx. 2 hours drying time between coats. The floor can be walked on already after 1-2 hours but avoid heavy traffic and replacement of furniture and rugs the first 12 hours.

CONSUMPTION

Approx. 40 - 60 m²/litre

MAINTENANCE

Clean floor with Bona Cleaner for oiled floors and a Bona Cleaning Pad. When the floor is starting to show signs of wear and needs freshening up, clean and apply a new layer of Bona Oiled Wood Floor Refresher.

The information in this document and all other advice and recommendations that we provide to help and assist the applicator are based on previous experience and extensive testing but makes no claim to be complete. Because of the wide range of possible uses and conditions of application of our products, we do not relieve users from the need to carry out their own trials or to seek technical advice from Bona before use. Bona can only guarantee its products and not the construction as a whole. Observe recommendations from flooring manufacturer and the provisions of relevant standards.